Cheap Nursing CEUs

Arthritis

- 1. Which of the following best represents a sign/symptom of arthritis?
- A. Loss of mobility
- B. Increased flexibility
- C. Hypoglycemia
- D. Hypotension

2. Which of the following statements is most accurate?

- A. OA is typically progressive meaning it may become more destructive or impactful to the body over time.
- B. OA is not progressive.
- C. OA is not typically caused by damage or breakdown of joint cartilage between bones.
- D. OA is caused by a diet rich in red meat.

3. Which of the following statements is most accurate?

- A. RA is caused by an immune response in which the body's immune system attacks its own healthy cells.
- B. RA is typically caused by an injury.
- C. In a joint affected by RA, the lining of the joint becomes inflamed and flexible.
- D. The tissue damage experienced with RA is not associated with pain or deformity.
- 4. A health care professional has questions about gout. Which of the following informational points of interest should be communicated to the health care professional?
- A. Men have a higher risk for gout.
- B. Women have a higher risk for gout.
- C. Gout is caused by hypouricemia.
- D. Gout is caused by hyperuricemia and high levels of potassium.
- 5. A 52-year-old male patient has questions regarding fibromyalgia. Which of the following educational points should be expressed to the patient?
- A. Fibromyalgia is associated with weight loss.
- B. Widespread pain is a sign/symptom of fibromyalgia.
- C. Male individuals do not typically develop fibromyalgia.
- D. Fibromyalgia only affects individuals over the age of 65.

6. A 40-year-old female patient with PsA has questions regarding psoriasis. Which of the following educational points should be expressed to the patient?

- A. Psoriasis may lead to patches of thick red skin and silvery scales.
- B. Psoriasis patches are typically only found on the elbows and face.
- C. Psoriasis is associated with nausea, constipation, bleeding, and extreme hunger.
- D. Psoriasis is associated with weight loss.

7. Which of the following best represents a non-pharmacological option that may be used to manage arthritis?

- A. Immersion therapy
- B. Cognitive behavioral therapy
- C. Brain stimulation therapy
- D. Sleep therapy

8. Which of the following medications is indicated for the treatment of RA?

- A. Fosamax
- B. Zoloft
- C. Lithium
- D. Celebrex

9. Which of the following best represents an adverse reaction associated with Cymbalta?

- A. Increased appetite
- B. Decreased appetite
- C. Extreme weight gain
- D. Epistaxis

10. Which of the following best represents the recommended colchicine dose for gout flares?

- A. 0.6 at the first sign of a gout flare followed by 0.6 mg one hour later
- B. 1.2 mg at the first sign of a gout flare followed by 0.6 mg one hour later
- C. 1.6 mg at the first sign of a gout flare followed by 0.8 mg one hour later
- D. 2 mg at the first sign of a gout flare followed by 1 mg one hour later

Copyright © 2025 Cheap Nursing CEUs

Visit us at https://www.cheapnursingceus.com