

Cheap Nursing CEUs

COVID-19: Identification and Prevention

1. A patient has questions regarding COVID-19. Which of the following educational points should be expressed to the patient?

- A. COVID-19 can spread through person-to-person contact.
 - B. COVID-19 is primarily transmitted through the air.
 - C. COVID-19 is only transmitted by contact with infected blood.
 - D. COVID-19 is only transmitted via contaminated food.
-

2. According to the text, what is the suggested incubation period for COVID-19?

- A. 1 - 14 days
 - B. 14 - 18 days
 - C. 18 - 20 days
 - D. 20 - 30 days
-

3. According to the text, which of the following may be a symptom of COVID-19?

- A. Seizures
 - B. Weight gain
 - C. Fever
 - D. Rash
-

4. Health care professionals should self-monitor for symptoms of COVID-19.

- A. True
 - B. False
-

5. A fellow health care professional has questions regarding hand hygiene. Which of the following informational points of interest should be communicated to the health care professional regarding hand hygiene?

- A. A health care professional should engage in hand hygiene after touching a patient.
 - B. The duration of the entire handwashing procedure with soap and water should last between 10 - 20 seconds.
 - C. The duration of the entire hand hygiene procedure with an alcohol-based formulation should last between 5 - 10 seconds.
 - D. At the end of a hand hygiene procedure with an alcohol-based formulation, health care professionals should dry their hands with a towel.
-

6. Which of the following statements is most accurate?

- A. All individuals with signs and symptoms of a respiratory infection (excluding health care professionals) should be instructed to cover the mouth and nose with their hands when coughing or sneezing.**
 - B. All individuals with signs and symptoms of a respiratory infection (including health care professionals) should be instructed to cover the mouth and nose with their hands when coughing or sneezing.**
 - C. All individuals over the age of 65 with signs and symptoms of a respiratory infection should be instructed to cover the mouth and nose with their hands when coughing or sneezing.**
 - D. All individuals with signs and symptoms of a respiratory infection (including health care professionals) should be instructed to cover the mouth and nose with a tissue when coughing or sneezing.**
-

7. Health care professionals may administer medications from the same syringe to multiple patients.

- A. True**
 - B. False**
-

8. A fellow health care professional has questions regarding contact precautions. Which of the following informational points of interest should be communicated to the health care professional regarding contact precautions?

- A. If contact precautions may be required, patients with symptoms of an active infection should be placed in a private room until it is determined if contact precaution are necessary.**
 - B. Signs indicating patients are on contact precautions should not be posted outside patient rooms.**
 - C. PPE is not necessary if contact precautions are required for a patient.**
 - D. Patient transport and movement should not be limited.**
-

9. Health care professionals should instruct patients, who require droplet precautions, to wear facemasks when exiting their rooms.

- A. True**
 - B. False**
-

10. Which of the following statements regarding airborne precautions is most accurate?

- A. Health care professionals should ensure appropriate patient placement in an airborne infection isolation room (AIIR); if a health care facility does not have an AIIR, health care professionals should place patients in a private room with the door open.**
- B. Health care professionals should ensure appropriate patient placement in an airborne infection isolation room (AIIR); if a health care facility does not have an AIIR, health care professionals should only place patients over the age of 65 in a private room with the door open.**
- C. Health care professionals should ensure appropriate patient placement in an airborne infection isolation room (AIIR); if a health care facility does not have an AIIR, health care professionals should place patients in a private room with the door closed.**
- D. Health care professionals should ensure appropriate patient placement in an airborne infection isolation room (AIIR); if a health care facility does not have an AIIR, health care professionals should only place patients over the age of 65 in a private room with the door closed.**
-

Copyright © 2024 Cheap Nursing CEUs

Visit us at <https://www.cheapnursingceus.com>