## **Cheap Nursing CEUs**

### The Impact of Preterm Birth

- 1. Which of the following statements best describes a very preterm birth?
- A. The birth of a live baby that is born at or before 25 weeks of pregnancy.
- B. The birth of a live baby that is born at less than 32 weeks of pregnancy.
- C. The birth of a live baby that is born between 32 and 34 weeks of pregnancy.
- D. The birth of a live baby that is born between 34 and 36 completed weeks of pregnancy.
- 2. A 30-year-old new mother has questions regarding retinopathy of prematurity. Which of the following educational points should be expressed to the patient?
- A. Retinopathy of prematurity only affects male preterm babies.
- B. Retinopathy of prematurity does not usually affect both eyes.
- C. White pupils may be a sign/symptom of retinopathy of prematurity.
- D. Stage 1 retinopathy of prematurity is the most severe stage of retinopathy of prematurity.
- 3. A health care professional has questions regarding screening babies for hearing loss. Which of the following informational points of interest should be communicated to the health care professional?
- A. All babies should have a hearing screening no later than one month of age.
- B. All preterm babies should have a hearing screening no later than two months of age.
- C. All babies should have a hearing screening no later than four months of age.
- D. All preterm babies should have a hearing screening no later than four months of age.
- 4. According to the course, what is the main sign that a child may have cerebral palsy?
- A. An individual does not respond to his or her name by 12 months of age.
- B. A delay reaching motor or movement milestones.
- C. Excessive weight gain
- D. Weight loss
- 5. Which of the following best represents an unusual behavior symptom associated with ASD?
- A. An individual often appears to "tune out" other individuals.
- B. An individual avoids eye-contact.
- C. An individual often reverses pronouns.
- D. An individual has obsessive interests.

# 6. A 28-year-old new mother has questions regarding postpartum depression. Which of the following educational points should be expressed to the patient?

- A. Postpartum depression does not typically affect women over the age 18.
- B. Postpartum depression does not typically affect women over the age of 25.
- C. Having trouble bonding or forming an emotional attachment with an infant is often a sign/symptom of postpartum depression.
- D. Nocturnal enuresis is often a sign/symptom of postpartum depression.

#### 7. Which of the following statements is most accurate?

- A. Heavy drinking is defined as 15 or more drinks a week for men.
- B. Heavy drinking is defined as 18 or more drinks a week for men.
- C. Heavy drinking is defined as 10 or more drinks a week for women.
- D. Heavy drinking is defined as 12 or more drinks a week for women.
- 8. A 40-year-old male is admitted into a health care facility. The patient informs a health care professional that he is the father of a newborn preterm baby. The patient also informs a health care professional that he is having thoughts of suicide. According to the course, how should health care professionals reduce the risk for patient suicide?
- A. Confine the patient to his bed at all times.
- B. Conduct an environmental risk assessment that identifies features in the physical environment that could be used to attempt suicide.
- C. Avoid one-to-one monitoring.
- D. Avoid group treatment options.
- 9. New parents have questions regarding breast milk storage. Which of the following educational points should be expressed to the new parents?
- A. Freshly expressed breast milk may be stored in the refrigerator for up to four days.
- B. Freshly expressed breast milk may be stored in the refrigerator for up to six days.
- C. Freshly expressed breast milk may be stored in the refrigerator for up to seven days.
- D. Freshly expressed breast milk may be stored in the refrigerator for up to eight days.
- 10. A new mother is breastfeeding her preterm baby. According to the course, how much vitamin D should the baby receive per day?
- A. 200 IU per day
- B. 400 IU per day
- C. 1200 IU per day
- D. 1800 IU per day

#### Copyright © 2025 Cheap Nursing CEUs

Visit us at https://www.cheapnursingceus.com